

Nettoie-t-il les taches sur les panneaux solaires ?



Solar Panel Cleaning Brush ■■

General Introduction:


Waterfed brushhead, 35cm width, suitable for cleaning solar panel, exterior wall, glass window etc.



Solar panel system



Exterior glass wall



Snow scraping


Brush head is made of PP, which is treated with soft rubber around, with angle adjustment, very durable.

Handle is spliced type, easy to be installed or disassembled. The telescopic rod is a thickened all-black aluminum alloy telescopic rod. The length is: 3.6m (12FT), 5.4m (18FT), 6m (20FT), 7.2m (24FT), 9m (30FT) and 10.8m (36FT), which can support custom length;



Product Features

- Titanium alloy handle, low density, high strength & good corrosion resistance.
- Lengthened antifreeze water pipe: 20 meters plus the same length as handle.
- Y-shaped universal joint with glass blade and rubber blade, easy to disassemble.
- No ladder or stool is needed, just standing on the ground, you can easily finish cleaning, which is safe and convenient.
- The back of the brush head can be used to scrape snow and water without leaving dust.
- A brush and mop can be applied to one rod.
- Width 35cm, Rubber edging. the bristles do not fall off, the brush attached the solar panels and will not scratch the surface of the solar panels. Wide range of cleaning.



Water spray pump:

When it is inconvenient to use the tap water, a 60W water pump (optional) is equipped, and the pumping height (lift) can be more than 10m, which is convenient for working at heights.



No hand
washing



Scratch and
wash are
available




Durable and
lengthening



(Optional)
Micro high
-pressure pump

Product Details



High quality telescopic pole




Aluminum pole sections

Sections 4 to 9 Customization



Aluminum pole tube thickness

0.8 & 1mm



Aluminum pole size

12FT	18FT	20FT
24FT	30FT	36FT
42FT	45FT	



Carbon fiber pole size:

30FT 36FT 42FT 45FT
42FT 48FT 54FT 60FT
65FT



Carbon fiber pole sections

Sections 4 to 9 Customization



Carbon fiber pole tube thickness

0.8 & 1mm



The wall of the tube is smooth and has a good texture.
Sponge handle , comfortable and durable



■ ■ Technical Parameters



Brush head		bristles	
size	350mm	size	2.8in / width 70mm
Material Science	Rubber edging		3.9in / length 100mm
		Material Science	made of PP
Telescopic rod			
Size	3.6M(4 section)	Pipe diameter	25/29/32/36mm
	5.4M(4 section)		
	6M(4 section)		
	7.2M(4 section)		
	9M(5 section)		25/29/32/36/40mm
	11M(5 section)		25/29/32/36/40/44mm
	12.8M(6 section)		25/29/32/36/40/44/48mm
	14.6M(7 section)		25/29/32/36/40/44/48/52mm
	16.5M(8 section)		21.4/25/29/32/36/40/44/48/52mm
	18.3M(9 section)		
REMARKS: The telescopic rod is selected according to the product distance you need to clean, and customized according to the data sheet			